



Catalog of SMD LED Spotlights & Bulbs



  2 Years warranty	Base type: GU5.3/GU10/E27/E26/E14 Input voltage: DC12V/AC110V/AC220V/AC100-240V Power consumption: 1.5W/2W/3W/4W Full range of colors: Cool white, Pure white, Warm white Light source: SMD 3528, SMD 5050 Safety Standard: CE and ROHS LED working temperature: less than 60 Centigrade Temperature: -40 ~ 70 Centigrade Brightness degradation: 7% - 10%/1kh (Edison), 3% - 5% /1kh (Seoul and Cree) Life span: 50,000 hours Applications: meeting room, hotel, restaurant, exhibition, shops, and clothes press etc.				
Website	http://www.ledlightdisplay.com	Email	sales@ledlightdisplay.com	Terms	Fob
Payment Terms	T/T in advance or L/C at sight	Tel	+8675583066884	Lead-time	4-10 working day after confirm the T/T deposit
Price Validity	30 days	Fax	+8675583068542		

SMD LED Spotlights & Bulbs Series						X can be CW(Cool white), PW(Pure white), WW(Warm white)		
Part No.	Picture	Description	Power	LED Type	Lumen	Price(USD)		
						1-100	101-500	>500
HK-MR11-5050-6-X		GU4.0, DC12V, 6 pcs SMD5050, 1.5W, 120 Degrees , dimensions ,35*42	1.5W	SMD5050	70lm	Email to : sales@ledlightdisplay.com to get quotation.		
HK-MR16-5050-9-X		GU5.3, DC12V, 9 pcs SMD5050, 2W, dimensions ,50*46	2W	SMD5050	120lm	Email to : sales@ledlightdisplay.com to get quotation.		
HK-MR16-5050-12-X		GU5.3, DC12V, 12 pcs SMD5050, 3W, dimensions ,50*46	3W	SMD5050	150lm	Email to : sales@ledlightdisplay.com to get quotation.		

HK-GU10-5050-9-X		GU10, AC110/220V, 9 pcs SMD5050, 2W, dimensions ,50*52	2W	SMD5050	120lm	Email to : sales@ledlightdisplay.com to get quotation.		
HK-GU10-5050-12-X		GU10, AC110/220V, 12 pcs SMD5050, 3W, dimensions ,50*52	3W	SMD5050	150lm	Email to : sales@ledlightdisplay.com to get quotation.		
HK-GU10-3528-21-X		GU10, AC110/220V, 21 pcs SMD3528, 1.5W, dimensions ,50*52	1.5W	SMD3528	100lm	Email to : sales@ledlightdisplay.com to get quotation.		
HK-HR-E27-5050-9-X		HR E27, AC110/220V, 9 pcs SMD5050, 2W, dimensions ,50*52	2W	SMD5050	120lm	Email to : sales@ledlightdisplay.com to get quotation.		

<p>HK-HR-E27-5050-12-X</p>		<p>HR E27, AC110/220V, 12 pcs SMD5050, 3W, dimensions ,50*52</p>	<p>3W</p>	<p>SMD5050</p>	<p>150lm</p>	<p>Email to : sales@ledlightdisplay.com to get quotation.</p>
<p>HK-HR-E27-3528-21-X</p>		<p>HR E27, AC110/220V, 21 pcs SMD3528, 1.5W, dimensions ,50*52</p>	<p>1.5W</p>	<p>SMD3528</p>	<p>100lm</p>	<p>Email to : sales@ledlightdisplay.com to get quotation.</p>
<p>HK-JDR-E27-5050-12-X</p>		<p>JDR E27, AC110/220V, 12 pcs SMD5050, 3W, dimensions ,50*73</p>	<p>3W</p>	<p>SMD5050</p>	<p>150lm</p>	<p>Email to : sales@ledlightdisplay.com to get quotation.</p>
<p>HK-G65-E27-5050-18-X</p>		<p>G65 E27, AC110/220V, 18 pcs SMD5050, 4W, dimensions ,65*100</p>	<p>4W</p>	<p>SMD5050</p>	<p>250lm</p>	<p>Email to : sales@ledlightdisplay.com to get quotation.</p>

HK-G60-E27-5050-9-X		E27, AC110/220V, 9 pcs SMD5050, 2W, dimensions ,60*100	2W	SMD5050	120lm	Email to : sales@ledlightdisplay.com to get quotation.
HK-G60-E27-5050-12-X		E27, AC110/220V, 12 pcs SMD5050, 3W, dimensions ,60*100	3W	SMD5050	150lm	Email to : sales@ledlightdisplay.com to get quotation.
HK-G45-E27-5050-9-X		E27, AC110/220V, 9 pcs SMD5050, 2W, dimensions , 42*120	2W	SMD5050	120lm	Email to : sales@ledlightdisplay.com to get quotation.
HK-G45-E27-5050-12-X		E27, AC110/220V, 12 pcs SMD5050, 3W, dimensions ,42*120	3W	SMD5050	150lm	Email to : sales@ledlightdisplay.com to get quotation.