





## Catalogue of SMD LED Flexible Strips

### Index:

- [1: SMD3528-300\(60LEDs/Meter\), Yellow Base, DC12V, 24W](#)
- [2: SMD3528-300\(60LEDs/Meter\), White Base, DC12V, 24W](#)
- [3: SMD3528-300\(60LEDs/Meter\), Black Base, DC12V, 24W](#)
- [4: SMD3528-600\(120LEDs/Meter\), Yellow Base, DC12V, 48W](#)
- [5: SMD3528-600\(120LEDs/Meter\), White Base, DC12V, 48W](#)
- [6: SMD3528-600\(120LEDs/Meter\), Black Base, DC12V, 48W](#)
- [7: SMD5050-150\(30LEDs/Meter\), Yellow Base, DC12V, 36W](#)
- [8: SMD5050-150\(30LEDs/Meter\), White Base, DC12V, 36W](#)
- [9: SMD5050-150\(30LEDs/Meter\), Black Base, DC12V, 36W](#)
- [10: SMD5050-240\(48LEDs/Meter\), Yellow Base, DC12V, 57.6W](#)
- [11: SMD5050-240\(48LEDs/Meter\), White Base, DC12V, 57.6W](#)
- [12: SMD5050-240\(48LEDs/Meter\), Black Base, DC12V, 57.6W](#)
- [13: SMD5050-300\(60LEDs/Meter\), Yellow Base, DC12V, 72W](#)
- [14: SMD5050-300\(60LEDs/Meter\), White Base, DC12V, 72W](#)
- [15: SMD5050-300\(60LEDs/Meter\), Black Base, DC12V, 72W](#)
- [16: SMD335-300\(60LEDs/Meter\), Yellow Base, DC12V, 24W](#)
- [17: SMD335-300\(60LEDs/Meter\), White Base, DC12V, 24W](#)
- [18: SMD335-300\(60LEDs/Meter\), Black Base, DC12V, 24W](#)

Picture	Part No.	Color	Description
SMD3528-300LEDs Yellow base version			
	HK-F3528PW30-N-Y-12	PURE WHITE	<b>Non-waterproof, Yellow base, SMD3528, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back</b>
	HK-F3528WW30-N-Y-12	WARM WHITE	
	HK-F3528R30-N-Y-12	RED	
	HK-F3528G30-N-Y-12	GREEN	
	HK-F3528B30-N-Y-12	BLUE	
	HK-F3528Y30-N-Y-12	YELLOW	
	HK-F3528PW30-SI-Y-12	PURE WHITE	<b>Waterproof-IP65, Yellow base, SMD3528, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back</b>
	HK-F3528WW30-SI-Y-12	WARM WHITE	
	HK-F3528R30-SI-Y-12	RED	
	HK-F3528G30-SI-Y-12	GREEN	
	HK-F3528B30-SI-Y-12	BLUE	
	HK-F3528Y30-SI-Y-12	YELLOW	
	HK-F3528PW30-ST-Y-12	PURE WHITE	<b>Waterproof-IP67, Yellow base, SMD3528, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*10*4.0mm, 350g, With fixing clip 3pcs/meter</b>
	HK-F3528WW30-ST-Y-12	WARM WHITE	
	HK-F3528R30-ST-Y-12	RED	
	HK-F3528G30-ST-Y-12	GREEN	
	HK-F3528B30-ST-Y-12	BLUE	
	HK-F3528Y30-ST-Y-12	YELLOW	

	HK-F3528PW30-WI-Y-12	PURE WHITE	<b>Waterproof-IP68, Yellow base, SMD3528, 300Leds/reel, Flexible,DC12V, &lt;24W/reel, &lt;2A/reel, 120°,5m/reel, PCB width 8mm, 5000*10*4.0mm, 400g, With fixing clip 3pcs/meter</b>
	HK-F3528WW30-WI-Y-12	WARM WHITE	
	HK-F3528R30-WI-Y-12	RED	
	HK-F3528G30-WI-Y-12	GREEN	
	HK-F3528B30-WI-Y-12	BLUE	
	HK-F3528Y30-WI-Y-12	YELLOW	

**SMD3528-300LEDs White base version**

	HK-F3528PW30-N-W-12	PURE WHITE	<b>Non-waterproof, White base, SMD3528, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back</b>
	HK-F3528WW30-N-W-12	WARM WHITE	
	HK-F3528R30-N-W-12	RED	
	HK-F3528G30-N-W-12	GREEN	
	HK-F3528B30-N-W-12	BLUE	
	HK-F3528Y30-N-W-12	YELLOW	


	HK-F3528PW30-SI-W-12	PURE WHITE	<b>Waterproof-IP65, White base, SMD3528, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°,5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back</b>
	HK-F3528WW30-SI-W-12	WARM WHITE	
	HK-F3528R30-SI-W-12	RED	
	HK-F3528G30-SI-W-12	GREEN	
	HK-F3528B30-SI-W-12	BLUE	
	HK-F3528Y30-SI-W-12	YELLOW	

	HK-F3528PW30-ST-W-12	PURE WHITE	<b>Waterproof-IP67, White base, SMD3528, 300Leds/reel, Flexible,DC12V, &lt;24W/reel, &lt;2A/reel, 120°,5m/reel, PCB width 8mm, 5000*10*4.0mm, 350g, With fixing clip 3pcs/meter</b>
	HK-F3528WW30-ST-W-12	WARM WHITE	
	HK-F3528R30-ST-W-12	RED	
	HK-F3528G30-ST-W-12	GREEN	
	HK-F3528B30-ST-W-12	BLUE	
	HK-F3528Y30-ST-W-12	YELLOW	

	HK-F3528PW30-WI-W-12	PURE WHITE	<b>Waterproof-IP68, White base, SMD3528, 300Leds/reel, Flexible,DC12V, &lt;24W/reel, &lt;2A/reel, 120°,5m/reel, PCB width 8mm, 5000*10*4.0mm, 400g, With fixing clip 3pcs/meter</b>
	HK-F3528WW30-WI-W-12	WARM WHITE	
	HK-F3528R30-WI-W-12	RED	
	HK-F3528G30-WI-W-12	GREEN	
	HK-F3528B30-WI-W-12	BLUE	
	HK-F3528Y30-WI-W-12	YELLOW	

**SMD3528-300LEDs Black base version**


	HK-F3528PW30-N-B-12	PURE WHITE	<b>Non-waterproof, Black base, SMD3528, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back</b>
	HK-F3528WW30-N-B-12	WARM WHITE	
	HK-F3528R30-N-B-12	RED	
	HK-F3528G30-N-B-12	GREEN	
	HK-F3528B30-N-B-12	BLUE	
	HK-F3528Y30-N-B-12	YELLOW	

	HK-F3528PW30-SI-B-12	PURE WHITE	<b>Waterproof-IP65, Black base, SMD3528,</b> 300Leds/reel, Flexible, DC12V, <24W/reel, <2A/reel, 120°,5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back
	HK-F3528WW30-SI-B-12	WARM WHITE	
	HK-F3528R30-SI-B-12	RED	
	HK-F3528G30-SI-B-12	GREEN	
	HK-F3528B30-SI-B-12	BLUE	
	HK-F3528Y30-SI-B-12	YELLOW	

	HK-F3528PW30-ST-B-12	PURE WHITE	<b>Waterproof-IP67, Black base, SMD3528,</b> 300Leds/reel, Flexible, DC12V, <24W/reel, <2A/reel, 120°,5m/reel, PCB width 8mm, 5000*10*4.0mm, 350g, With fixing clip 3pcs/meter
	HK-F3528WW30-ST-B-12	WARM WHITE	
	HK-F3528R30-ST-B-12	RED	
	HK-F3528G30-ST-B-12	GREEN	
	HK-F3528B30-ST-B-12	BLUE	
	HK-F3528Y30-ST-B-12	YELLOW	

	HK-F3528PW30-WI-B-12	PURE WHITE	<b>Waterproof-IP68, Black base, SMD3528,</b> 300Leds/reel, Flexible, DC12V, <24W/reel, <2A/reel, 120°,5m/reel, PCB width 8mm, 5000*10*4.0mm, 400g, With fixing clip 3pcs/meter
	HK-F3528WW30-WI-B-12	WARM WHITE	
	HK-F3528R30-WI-B-12	RED	
	HK-F3528G30-WI-B-12	GREEN	
	HK-F3528B30-WI-B-12	BLUE	
	HK-F3528Y30-WI-B-12	YELLOW	

SMD3528-600LEDs Yellow base version

	HK-F3528PW60-N-Y-12	PURE WHITE	<b>Non-waterproof, Yellow base, SMD3528,</b> 600Leds/reel, Flexible, DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back
	HK-F3528WW60-N-Y-12	WARM WHITE	
	HK-F3528R60-N-Y-12	RED	
	HK-F3528G60-N-Y-12	GREEN	
	HK-F3528B60-N-Y-12	BLUE	
	HK-F3528Y60-N-Y-12	YELLOW	

	HK-F3528PW60-SI-Y-12	PURE WHITE	<b>Waterproof-IP65, Yellow base, SMD3528,</b> 600Leds/reel, Flexible, DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back
	HK-F3528WW60-SI-Y-12	WARM WHITE	
	HK-F3528R60-SI-Y-12	RED	
	HK-F3528G60-SI-Y-12	GREEN	
	HK-F3528B60-SI-Y-12	BLUE	
	HK-F3528Y60-SI-Y-12	YELLOW	

	HK-F3528PW60-ST-Y-12	PURE WHITE	<b>Waterproof-IP67, Yellow base, SMD3528,</b> 600Leds/reel, Flexible, DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*10*4.0mm, 350g, With fixing clip 3pcs/meter
	HK-F3528WW60-ST-Y-12	WARM WHITE	
	HK-F3528R60-ST-Y-12	RED	
	HK-F3528G60-ST-Y-12	GREEN	
	HK-F3528B60-ST-Y-12	BLUE	
	HK-F3528Y60-ST-Y-12	YELLOW	

	HK-F3528PW60-WI-Y-12	PURE WHITE	<b>Waterproof-IP68, Yellow base, SMD3528,</b> 600Leds/reel, Flexible , DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*10*4.0mm, 400g, With fixing clip 3pcs/meter
	HK-F3528WW60-WI-Y-12	WARM WHITE	
	HK-F3528R60-WI-Y-12	RED	
	HK-F3528G60-WI-Y-12	GREEN	
	HK-F3528B60-WI-Y-12	BLUE	
	HK-F3528Y60-WI-Y-12	YELLOW	

**SMD3528-600LEDs White base version**


	HK-F3528PW60-N-W-12	PURE WHITE	<b>Non-waterproof, White base, SMD3528,</b> 600Leds/reel, Flexible,DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back
	HK-F3528WW60-N-W-12	WARM WHITE	
	HK-F3528R60-N-W-12	RED	
	HK-F3528G60-N-W-12	GREEN	
	HK-F3528B60-N-W-12	BLUE	
	HK-F3528Y60-N-W-12	YELLOW	

	HK-F3528PW60-SI-W-12	PURE WHITE	<b>Waterproof-IP65, White base, SMD3528,</b> 600Leds/reel, Flexible , DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back
	HK-F3528WW60-SI-W-12	WARM WHITE	
	HK-F3528R60-SI-W-12	RED	
	HK-F3528G60-SI-W-12	GREEN	
	HK-F3528B60-SI-W-12	BLUE	
	HK-F3528Y60-SI-W-12	YELLOW	

	HK-F3528PW60-ST-W-12	PURE WHITE	<b>Waterproof-IP67, White base, SMD3528,</b> 600Leds/reel, Flexible , DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*10*4.0mm, 350g, With fixing clip 3pcs/meter
	HK-F3528WW60-ST-W-12	WARM WHITE	
	HK-F3528R60-ST-W-12	RED	
	HK-F3528G60-ST-W-12	GREEN	
	HK-F3528B60-ST-W-12	BLUE	
	HK-F3528Y60-ST-W-12	YELLOW	

	HK-F3528PW60-WI-W-12	PURE WHITE	<b>Waterproof-IP68, White base, SMD3528,</b> 600Leds/reel, Flexible , DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*10*4.0mm, 400g, With fixing clip 3pcs/meter
	HK-F3528WW60-WI-W-12	WARM WHITE	
	HK-F3528R60-WI-W-12	RED	
	HK-F3528G60-WI-W-12	GREEN	
	HK-F3528B60-WI-W-12	BLUE	
	HK-F3528Y60-WI-W-12	YELLOW	

**SMD3528-600LEDs Black base version**

	HK-F3528PW60-N-B-12	PURE WHITE	<b>Non-waterproof, Black base, SMD3528,</b> 600Leds/reel, Flexible,DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back
	HK-F3528WW60-N-B-12	WARM WHITE	
	HK-F3528R60-N-B-12	RED	
	HK-F3528G60-N-B-12	GREEN	
	HK-F3528B60-N-B-12	BLUE	
	HK-F3528Y60-N-B-12	YELLOW	

	HK-F3528PW60-SI-B-12	PURE WHITE	<b>Waterproof-IP65, Black base, SMD3528,</b> 600Leds/reel, Flexible , DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back
	HK-F3528WW60-SI-B-12	WARM WHITE	
	HK-F3528R60-SI-B-12	RED	
	HK-F3528G60-SI-B-12	GREEN	
	HK-F3528B60-SI-B-12	BLUE	
	HK-F3528Y60-SI-B-12	YELLOW	


	HK-F3528PW60-ST-B-12	PURE WHITE	<b>Waterproof-IP67, Black base, SMD3528,</b> 600Leds/reel, Flexible , DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*10*4.0mm, 350g, With fixing clip 3pcs/meter
	HK-F3528WW60-ST-B-12	WARM WHITE	
	HK-F3528R60-ST-B-12	RED	
	HK-F3528G60-ST-B-12	GREEN	
	HK-F3528B60-ST-B-12	BLUE	
	HK-F3528Y60-ST-B-12	YELLOW	


	HK-F3528PW60-WI-B-12	PURE WHITE	<b>Waterproof-IP68, Black base, SMD3528,</b> 600Leds/reel, Flexible , DC12V, <48W/reel, <4A/reel, 120°, 5m/reel, PCB width 8mm, 5000*10*4.0mm, 400g, With fixing clip 3pcs/meter
	HK-F3528WW60-WI-B-12	WARM WHITE	
	HK-F3528R60-WI-B-12	RED	
	HK-F3528G60-WI-B-12	GREEN	
	HK-F3528B60-WI-B-12	BLUE	
	HK-F3528Y60-WI-B-12	YELLOW	

**SMD5050-150LEDs Yellow base version**


	HK-F5050PW15-N-Y-12	PURE WHITE	<b>Non-waterproof, Yellow base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW15-N-Y-12	WARM WHITE	
	HK-F5050R15-N-Y-12	RED	
	HK-F5050G15-N-Y-12	GREEN	
	HK-F5050B15-N-Y-12	BLUE	
	HK-F5050Y15-N-Y-12	YELLOW	
	HK-F5050RGB15-N-Y-12	RGB	


	HK-F5050PW15-SI-Y-12	PURE WHITE	<b>Waterproof-IP65, Yellow base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW15-SI-Y-12	WARM WHITE	
	HK-F5050R15-SI-Y-12	RED	
	HK-F5050G15-SI-Y-12	GREEN	
	HK-F5050B15-SI-Y-12	BLUE	
	HK-F5050Y15-SI-Y-12	YELLOW	
	HK-F5050RGB15-SI-Y-12	RGB	


	HK-F5050PW15-ST-Y-12	PURE WHITE	<b>Waterproof-IP67, Yellow base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW15-ST-Y-12	WARM WHITE	
	HK-F5050R15-ST-Y-12	RED	
	HK-F5050G15-ST-Y-12	GREEN	
	HK-F5050B15-ST-Y-12	BLUE	
	HK-F5050Y15-ST-Y-12	YELLOW	
	HK-F5050RGB15-ST-Y-12	RGB	

	HK-F5050PW15-WI-Y-12	PURE WHITE	<b>Waterproof-IP68, Yellow base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW15-WI-Y-12	WARM WHITE	
	HK-F5050R15-WI-Y-12	RED	
	HK-F5050G15-WI-Y-12	GREEN	
	HK-F5050B15-WI-Y-12	BLUE	
	HK-F5050Y15-WI-Y-12	YELLOW	
	HK-F5050RGB15-WI-Y-12	RGB	

**SMD5050-150LEDs White base version**


	HK-F5050PW15-N-W-12	PURE WHITE	<b>Non-waterproof, White base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW15-N-W-12	WARM WHITE	
	HK-F5050R15-N-W-12	RED	
	HK-F5050G15-N-W-12	GREEN	
	HK-F5050B15-N-W-12	BLUE	
	HK-F5050Y15-N-W-12	YELLOW	
	HK-F5050RGB15-N-W-12	RGB	

	HK-F5050PW15-SI-W-12	PURE WHITE	<b>Waterproof-IP65, White base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW15-SI-W-12	WARM WHITE	
	HK-F5050R15-SI-W-12	RED	
	HK-F5050G15-SI-W-12	GREEN	
	HK-F5050B15-SI-W-12	BLUE	
	HK-F5050Y15-SI-W-12	YELLOW	
	HK-F5050RGB15-SI-W-12	RGB	

	HK-F5050PW15-ST-W-12	PURE WHITE	<b>Waterproof-IP67, White base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW15-ST-W-12	WARM WHITE	
	HK-F5050R15-ST-W-12	RED	
	HK-F5050G15-ST-W-12	GREEN	
	HK-F5050B15-ST-W-12	BLUE	
	HK-F5050Y15-ST-W-12	YELLOW	
	HK-F5050RGB15-ST-W-12	RGB	


	HK-F5050PW15-WI-W-12	PURE WHITE	<b>Waterproof-IP68, White base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW15-WI-W-12	WARM WHITE	
	HK-F5050R15-WI-W-12	RED	
	HK-F5050G15-WI-W-12	GREEN	
	HK-F5050B15-WI-W-12	BLUE	
	HK-F5050Y15-WI-W-12	YELLOW	
	HK-F5050RGB15-WI-W-12	RGB	

SMD5050-150LEDs Black base version


	HK-F5050PW15-N-B-12	PURE WHITE	<b>Non-waterproof, Black base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW15-N-B-12	WARM WHITE	
	HK-F5050R15-N-B-12	RED	
	HK-F5050G15-N-B-12	GREEN	
	HK-F5050B15-N-B-12	BLUE	
	HK-F5050Y15-N-B-12	YELLOW	
	HK-F5050RGB15-N-B-12	RGB	


	HK-F5050PW15-SI-B-12	PURE WHITE	<b>Waterproof-IP65, Black base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW15-SI-B-12	WARM WHITE	
	HK-F5050R15-SI-B-12	RED	
	HK-F5050G15-SI-B-12	GREEN	
	HK-F5050B15-SI-B-12	BLUE	
	HK-F5050Y15-SI-B-12	YELLOW	
	HK-F5050RGB15-SI-B-12	RGB	


	HK-F5050PW15-ST-B-12	PURE WHITE	<b>Waterproof-IP67, Black base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW15-ST-B-12	WARM WHITE	
	HK-F5050R15-ST-B-12	RED	
	HK-F5050G15-ST-B-12	GREEN	
	HK-F5050B15-ST-B-12	BLUE	
	HK-F5050Y15-ST-B-12	YELLOW	
	HK-F5050RGB15-ST-B-12	RGB	

	HK-F5050PW15-WI-B-12	PURE WHITE	<b>Waterproof-IP68, Black base, SMD5050,</b> 150Leds/reel, Flexible , DC12V, <36W/reel, <3A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW15-WI-B-12	WARM WHITE	
	HK-F5050R15-WI-B-12	RED	
	HK-F5050G15-WI-B-12	GREEN	
	HK-F5050B15-WI-B-12	BLUE	
	HK-F5050Y15-WI-B-12	YELLOW	
	HK-F5050RGB15-WI-B-12	RGB	

SMD5050-240LEDs Yellow base version


	HK-F5050PW24-N-Y-12	PURE WHITE	<b>Non-waterproof, Yellow base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW24-N-Y-12	WARM WHITE	
	HK-F5050R24-N-Y-12	RED	
	HK-F5050G24-N-Y-12	GREEN	
	HK-F5050B24-N-Y-12	BLUE	
	HK-F5050Y24-N-Y-12	YELLOW	
	HK-F5050RGB24-N-Y-12	RGB	

	HK-F5050PW24-SI-Y-12	PURE WHITE	<b>Waterproof-IP65, Yellow base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW24-SI-Y-12	WARM WHITE	
	HK-F5050R24-SI-Y-12	RED	
	HK-F5050G24-SI-Y-12	GREEN	
	HK-F5050B24-SI-Y-12	BLUE	
	HK-F5050Y24-SI-Y-12	YELLOW	
	HK-F5050RGB24-SI-Y-12	RGB	


	HK-F5050PW24-ST-Y-12	PURE WHITE	<b>Waterproof-IP67, Yellow base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW24-ST-Y-12	WARM WHITE	
	HK-F5050R24-ST-Y-12	RED	
	HK-F5050G24-ST-Y-12	GREEN	
	HK-F5050B24-ST-Y-12	BLUE	
	HK-F5050Y24-ST-Y-12	YELLOW	
	HK-F5050RGB24-ST-Y-12	RGB	


	HK-F5050PW24-WI-Y-12	PURE WHITE	<b>Waterproof-IP68, Yellow base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW24-WI-Y-12	WARM WHITE	
	HK-F5050R24-WI-Y-12	RED	
	HK-F5050G24-WI-Y-12	GREEN	
	HK-F5050B24-WI-Y-12	BLUE	
	HK-F5050Y24-WI-Y-12	YELLOW	
	HK-F5050RGB24-WI-Y-12	RGB	

**SMD5050-240LEDs White base version**


	HK-F5050PW24-N-W-12	PURE WHITE	<b>Non-waterproof, White base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW24-N-W-12	WARM WHITE	
	HK-F5050R24-N-W-12	RED	
	HK-F5050G24-N-W-12	GREEN	
	HK-F5050B24-N-W-12	BLUE	
	HK-F5050Y24-N-W-12	YELLOW	
	HK-F5050RGB24-N-W-12	RGB	

	HK-F5050PW24-SI-W-12	PURE WHITE	<b>Waterproof-IP65, White base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW24-SI-W-12	WARM WHITE	
	HK-F5050R24-SI-W-12	RED	
	HK-F5050G24-SI-W-12	GREEN	
	HK-F5050B24-SI-W-12	BLUE	
	HK-F5050Y24-SI-W-12	YELLOW	
	HK-F5050RGB24-SI-W-12	RGB	

	HK-F5050PW24-ST-W-12	PURE WHITE	<b>Waterproof-IP67, White base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW24-ST-W-12	WARM WHITE	
	HK-F5050R24-ST-W-12	RED	
	HK-F5050G24-ST-W-12	GREEN	
	HK-F5050B24-ST-W-12	BLUE	
	HK-F5050Y24-ST-W-12	YELLOW	
	HK-F5050RGB24-ST-W-12	RGB	


	HK-F5050PW24-WI-W-12	PURE WHITE	<b>Waterproof-IP68, White base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW24-WI-W-12	WARM WHITE	
	HK-F5050R24-WI-W-12	RED	
	HK-F5050G24-WI-W-12	GREEN	
	HK-F5050B24-WI-W-12	BLUE	
	HK-F5050Y24-WI-W-12	YELLOW	
	HK-F5050RGB24-WI-W-12	RGB	

**SMD5050-240LEDs Black base version**


	HK-F5050PW24-N-B-12	PURE WHITE	<b>Non-waterproof, Black base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW24-N-B-12	WARM WHITE	
	HK-F5050R24-N-B-12	RED	
	HK-F5050G24-N-B-12	GREEN	
	HK-F5050B24-N-B-12	BLUE	
	HK-F5050Y24-N-B-12	YELLOW	
	HK-F5050RGB24-N-B-12	RGB	


	HK-F5050PW24-SI-B-12	PURE WHITE	<b>Waterproof-IP65, Black base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW24-SI-B-12	WARM WHITE	
	HK-F5050R24-SI-B-12	RED	
	HK-F5050G24-SI-B-12	GREEN	
	HK-F5050B24-SI-B-12	BLUE	
	HK-F5050Y24-SI-B-12	YELLOW	
	HK-F5050RGB24-SI-B-12	RGB	

	HK-F5050PW24-ST-B-12	PURE WHITE	<b>Waterproof-IP67, Black base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW24-ST-B-12	WARM WHITE	
	HK-F5050R24-ST-B-12	RED	
	HK-F5050G24-ST-B-12	GREEN	
	HK-F5050B24-ST-B-12	BLUE	
	HK-F5050Y24-ST-B-12	YELLOW	
	HK-F5050RGB24-ST-B-12	RGB	


	HK-F5050PW24-WI-B-12	PURE WHITE	<b>Waterproof-IP68, Black base, SMD5050,</b> 240Leds/reel, Flexible , DC12V, <57.6W/reel, <4.8A/reel, 120°, 5m/reel, PCB width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW24-WI-B-12	WARM WHITE	
	HK-F5050R24-WI-B-12	RED	
	HK-F5050G24-WI-B-12	GREEN	
	HK-F5050B24-WI-B-12	BLUE	
	HK-F5050Y24-WI-B-12	YELLOW	
	HK-F5050RGB24-WI-B-12	RGB	

SMD5050-300LEDs Yellow base version


	HK-F5050PW30-N-Y-12	PURE WHITE	<b>Non-waterproof, Yellow base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW30-N-Y-12	WARM WHITE	
	HK-F5050R30-N-Y-12	RED	
	HK-F5050G30-N-Y-12	GREEN	
	HK-F5050B30-N-Y-12	BLUE	
	HK-F5050Y30-N-Y-12	YELLOW	
	HK-F5050RGB30-N-Y-12	RGB	


	HK-F5050PW30-SI-Y-12	PURE WHITE	<b>Waterproof-IP65, Yellow base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW30-SI-Y-12	WARM WHITE	
	HK-F5050R30-SI-Y-12	RED	
	HK-F5050G30-SI-Y-12	GREEN	
	HK-F5050B30-SI-Y-12	BLUE	
	HK-F5050Y30-SI-Y-12	YELLOW	
	HK-F5050RGB30-SI-Y-12	RGB	


	HK-F5050PW30-ST-Y-12	PURE WHITE	<b>Waterproof-IP67, Yellow base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW30-ST-Y-12	WARM WHITE	
	HK-F5050R30-ST-Y-12	RED	
	HK-F5050G30-ST-Y-12	GREEN	
	HK-F5050B30-ST-Y-12	BLUE	
	HK-F5050Y30-ST-Y-12	YELLOW	
	HK-F5050RGB30-ST-Y-12	RGB	


	HK-F5050PW30-WI-Y-12	PURE WHITE	<b>Waterproof-IP68, Yellow base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW30-WI-Y-12	WARM WHITE	
	HK-F5050R30-WI-Y-12	RED	
	HK-F5050G30-WI-Y-12	GREEN	
	HK-F5050B30-WI-Y-12	BLUE	
	HK-F5050Y30-WI-Y-12	YELLOW	
	HK-F5050RGB30-WI-Y-12	RGB	

SMD5050-300LEDs White base version


	HK-F5050PW30-N-W-12	PURE WHITE	<b>Non-waterproof, White base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW30-N-W-12	WARM WHITE	
	HK-F5050R30-N-W-12	RED	
	HK-F5050G30-N-W-12	GREEN	
	HK-F5050B30-N-W-12	BLUE	
	HK-F5050Y30-N-W-12	YELLOW	
	HK-F5050RGB30-N-W-12	RGB	


	HK-F5050PW30-SI-W-12	PURE WHITE	<b>Waterproof-IP65, White base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW30-SI-W-12	WARM WHITE	
	HK-F5050R30-SI-W-12	RED	
	HK-F5050G30-SI-W-12	GREEN	
	HK-F5050B30-SI-W-12	BLUE	
	HK-F5050Y30-SI-W-12	YELLOW	
	HK-F5050RGB30-SI-W-12	RGB	


	HK-F5050PW30-ST-W-12	PURE WHITE	<b>Waterproof-IP67, White base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW30-ST-W-12	WARM WHITE	
	HK-F5050R30-ST-W-12	RED	
	HK-F5050G30-ST-W-12	GREEN	
	HK-F5050B30-ST-W-12	BLUE	
	HK-F5050Y30-ST-W-12	YELLOW	
	HK-F5050RGB30-ST-W-12	RGB	


	HK-F5050PW30-WI-W-12	PURE WHITE	<b>Waterproof-IP68, White base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter
	HK-F5050WW30-WI-W-12	WARM WHITE	
	HK-F5050R30-WI-W-12	RED	
	HK-F5050G30-WI-W-12	GREEN	
	HK-F5050B30-WI-W-12	BLUE	
	HK-F5050Y30-WI-W-12	YELLOW	
	HK-F5050RGB30-WI-W-12	RGB	

**SMD5050-300LEDs Black base version**

	HK-F5050PW30-N-B-12	PURE WHITE	<b>Non-waterproof, Black base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*10*2.0mm, 200g, with 3M self-adhesive back
	HK-F5050WW30-N-B-12	WARM WHITE	
	HK-F5050R30-N-B-12	RED	
	HK-F5050G30-N-B-12	GREEN	
	HK-F5050B30-N-B-12	BLUE	
	HK-F5050Y30-N-B-12	YELLOW	
	HK-F5050RGB30-N-B-12	RGB	

	HK-F5050PW30-SI-B-12	PURE WHITE	<b>Waterproof-IP65, Black base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*10*2.8mm, 250g, with 3M self-adhesive back
	HK-F5050WW30-SI-B-12	WARM WHITE	
	HK-F5050R30-SI-B-12	RED	
	HK-F5050G30-SI-B-12	GREEN	
	HK-F5050B30-SI-Y-12	BLUE	
	HK-F5050Y30-SI-B-12	YELLOW	
	HK-F5050RGB30-SI-B-12	RGB	

	HK-F5050PW30-ST-B-12	PURE WHITE	<b>Waterproof-IP67, Black base, SMD5050,</b> 300Leds/reel, Flexible , DC12V, <72W/reel, <6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*12*3.5mm, 400g, With fixing clip 3pcs/meter
	HK-F5050WW30-ST-B-12	WARM WHITE	
	HK-F5050R30-ST-B-12	RED	
	HK-F5050G30-ST-B-12	GREEN	
	HK-F5050B30-ST-B-12	BLUE	
	HK-F5050Y30-ST-B-12	YELLOW	
	HK-F5050RGB30-ST-B-12	RGB	

	HK-F5050PW30-WI-B-12	PURE WHITE	<b>Waterproof-IP68, Black base, SMD5050, 300Leds/reel, Flexible, DC12V, &lt;72W/reel, &lt;6A/reel, 120°, 5m/reel, PCB Width 10mm, 5000*12*3.5mm, 450g, With fixing clip 3pcs/meter</b>
	HK-F5050WW30-WI-B-12	WARM WHITE	
	HK-F5050R30-WI-B-12	RED	
	HK-F5050G30-WI-B-12	GREEN	
	HK-F5050B30-WI-B-12	BLUE	
	HK-F5050Y30-WI-B-12	YELLOW	
	HK-F5050RGB30-WI-B-12	RGB	

**Side View SMD335-300LEDs Yellow base version**

	HK-F335PW30-N-Y-12	PURE WHITE	<b>Non-waterproof, Yellow base, SMD335, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back</b>
	HK-F335WW30-N-Y-12	WARM WHITE	
	HK-F335R30-N-Y-12	RED	
	HK-F335G30-N-Y-12	GREEN	
	HK-F335B30-N-Y-12	BLUE	
	HK-F335Y30-N-Y-12	YELLOW	

	HK-F335PW30-SI-Y-12	PURE WHITE	<b>Waterproof-IP65, Yellow base, SMD335, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°,5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back</b>
	HK-F335WW30-SI-Y-12	WARM WHITE	
	HK-F335R30-SI-Y-12	RED	
	HK-F335G30-SI-Y-12	GREEN	
	HK-F335B30-SI-Y-12	BLUE	
	HK-F335Y30-SI-Y-12	YELLOW	


**Side View SMD335-300LEDs White base version**

	HK-F335PW30-N-W-12	PURE WHITE	<b>Non-waterproof, White base, SMD335, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back</b>
	HK-F335WW30-N-W-12	WARM WHITE	
	HK-F335R30-N-W-12	RED	
	HK-F335G30-N-W-12	GREEN	
	HK-F335B30-N-W-12	BLUE	
	HK-F335Y30-N-W-12	YELLOW	

	HK-F335PW30-SI-W-12	PURE WHITE	<b>Waterproof-IP65, White base, SMD335, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°,5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back</b>
	HK-F335WW30-SI-W-12	WARM WHITE	
	HK-F335R30-SI-W-12	RED	
	HK-F335G30-SI-W-12	GREEN	
	HK-F335B30-SI-W-12	BLUE	
	HK-F335Y30-SI-W-12	YELLOW	

**Side View SMD335-300LEDs Black base version**

	HK-F335PW30-N-B-12	PURE WHITE	<b>Non-waterproof, Black base, SMD335, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°, 5m/reel, PCB width 8mm, 5000*8*2.4mm, 150g, with 3M self-adhesive back</b>
	HK-F335WW30-N-B-12	WARM WHITE	
	HK-F335R30-N-B-12	RED	
	HK-F335G30-N-B-12	GREEN	
	HK-F335B30-N-B-12	BLUE	
	HK-F335Y30-N-B-12	YELLOW	

	HK-F335PW30-SI-B-12	PURE WHITE	<b>Waterproof-IP65, Black base, SMD335, 300Leds/reel, Flexible, DC12V, &lt;24W/reel, &lt;2A/reel, 120°,5m/reel, PCB width 8mm, 5000*8*2.8mm, 220g, with 3M self-adhesive back</b>
	HK-F335WW30-SI-B-12	WARM WHITE	
	HK-F335R30-SI-B-12	RED	
	HK-F335G30-SI-B-12	GREEN	
	HK-F335B30-SI-B-12	BLUE	
	HK-F335Y30-SI-B-12	YELLOW	