

Catalogue of LED Light Bulbs

Picture	Part No.	Color	Description
3x1W SPOTLIGHT			
	HK-P-31AW-MR16-P	PURE WHITE	AC/DC 12V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: GU5.3, EPISTAR CHIP, Dimension: Φ49mm*52.5mm
	HK-P-31AWW-MR16-P	WARM WHITE	
	HK-P-31AW-MR16-E	PURE WHITE	AC/DC 12V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: GU5.3, EDISON CHIP, Dimension: Φ49mm*52.5mm
	HK-P-31AWW-MR16-E	WARM WHITE	
	HK-P-31AW-MR16-C	PURE WHITE	AC/DC 12V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: GU5.3, CREE CHIP, Dimension: Φ49mm*52.5mm
	HK-P-31AWW-MR16-C	WARM WHITE	
	HK-P-31AW-GU10-P	PURE WHITE	AC110/220V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: GU10, EPISTAR CHIP, Dimension: Φ49mm*61.5mm
	HK-P-31AWW-GU10-P	WARM WHITE	
	HK-P-31AW-GU10-E	PURE WHITE	AC110/220V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: GU10, EDISON CHIP, Dimension: Φ49mm*61.5mm
	HK-P-31AWW-GU10-E	WARM WHITE	
	HK-P-31AW-GU10-C	PURE WHITE	AC110/220V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: GU10, CREE CHIP, Dimension: Φ49mm*61.5mm
	HK-P-31AWW-GU10-C	WARM WHITE	
	HK-P-31AW-E27-P	PURE WHITE	AC110/220V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: E27, EPISTAR, Dimension: Φ49mm*61.5mm
	HK-P-31AWW-E27-P	WARM WHITE	
	HK-P-31AW-E27-E	PURE WHITE	AC110/220V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: E27, EDISON CHIP, Dimension: Φ49mm*61.5mm
	HK-P-31AWW-E27-E	WARM WHITE	
	HK-P-31AW-E27-C	PURE WHITE	AC110/220V, 3 x 1W, Beam Angle: 15°/30°/60°, Base: E27, CREE CHIP, Dimension: Φ49mm*61.5mm
	HK-P-31AWW-E27-C	WARM WHITE	

3x2W SPOTLIGHT

HK-P-32AW-MR16-P	PURE WHITE	AC/DC 12V,3 x 2W,Beam Angle: 15°/30°/60°, Base: GU5.3, EPISTAR CHIP,Dimension: Φ49mm*80.5mm
HK-P-32AWW-MR16-P	WARM WHITE	
HK-P-32AW-MR16-E	PURE WHITE	AC/DC 12V,3 x 2W,Beam Angle: 15°/30°/60°, Base: GU5.3, EDISON CHIP,Dimension: Φ49mm*80.5mm
HK-P-32AWW-MR16-E	WARM WHITE	
HK-P-32AW-MR16-C	PURE WHITE	AC/DC 12V,3 x 2W,Beam Angle: 15°/30°/60°, Base: GU5.3, CREE CHIP,Dimension: Φ49mm*80.5mm
HK-P-32AWW-MR16-C	WARM WHITE	




HK-P-32AW-GU10-P	PURE WHITE	AC110/220V,3 x 2W,Beam Angle: 15°/30°/60°, Base: GU10, EPISTAR CHIP,Dimension: Φ49mm*88.5mm
HK-P-32AWW-GU10-P	WARM WHITE	
HK-P-32AW-GU10-E	PURE WHITE	AC110/220V,3 x 2W,Beam Angle: 15°/30°/60°, Base: GU10,EDISON CHIP,Dimension: Φ49mm*88.5mm
HK-P-32AWW-GU10-E	WARM WHITE	
HK-P-32AW-GU10-C	PURE WHITE	AC110/220V,3 x 2W,Beam Angle: 15°/30°/60°, Base: GU10, CREE CHIP,Dimension: Φ49mm*88.5mm
HK-P-32AWW-GU10-C	WARM WHITE	




HK-P-32AW-E27-P	PURE WHITE	AC110/220V,3 x 2W,Beam Angle: 15°/30°/60°, Base: E27, EPISTAR, Dimension: Φ49mm*88.5mm
HK-P-32AWW-E27-P	WARM WHITE	
HK-P-32AW-E27-E	PURE WHITE	AC110/220V,3 x 2W,Beam Angle: 15°/30°/60°, Base: E27,EDISON CHIP,Dimension: Φ49mm*88.5mm
HK-P-32AWW-E27-E	WARM WHITE	
HK-P-32AW-E27-C	PURE WHITE	AC110/220V,3 x 2W,Beam Angle: 15°/30°/60°, Base: E27, CREE CHIP,Dimension: Φ49mm*88.5mm
HK-P-32AWW-E27-C	WARM WHITE	


3x3W SPOTLIGHT

HK-P-33AW-MR16-P	PURE WHITE	AC/DC 12V,3 x 3W,Beam Angle: 15°/30°/60°, Base: GU5.3, EPISTAR CHIP,Dimension: Φ49mm*107.5mm
HK-P-33AWW-MR16-P	WARM WHITE	
HK-P-33AW-MR16-E	PURE WHITE	AC/DC 12V,3 x 3W,Beam Angle: 15°/30°/60°, Base: GU5.3, EDISON CHIP,Dimension: Φ49mm*107.5mm
HK-P-33AWW-MR16-E	WARM WHITE	
HK-P-33AW-MR16-C	PURE WHITE	AC/DC 12V,3 x 3W,Beam Angle: 15°/30°/60°, Base: GU5.3, CREE CHIP,Dimension: Φ49mm*107.5mm
HK-P-33AWW-MR16-C	WARM WHITE	


	HK-P-33AW-GU10-P	PURE WHITE	AC110/220V,3 x 3W,Beam Angle: 15°/30°/60°, Base: GU10, EPISTAR CHIP,Dimension: Φ49mm*117mm
	HK-P-33AWW-GU10-P	WARM WHITE	
	HK-P-33AW-GU10-E	PURE WHITE	
	HK-P-33AWW-GU10-E	WARM WHITE	
	HK-P-33AW-GU10-C	PURE WHITE	
	HK-P-33AWW-GU10-C	WARM WHITE	

	HK-P-33AW-E27-P	PURE WHITE	AC110/220V,3 x 3W,Beam Angle: 15°/30°/60°, Base: E27, EPISTAR, Dimension: Φ49mm*116.5mm
	HK-P-33AWW-E27-P	WARM WHITE	
	HK-P-33AW-E27-E	PURE WHITE	
	HK-P-33AWW-E27-E	WARM WHITE	
	HK-P-33AW-E27-C	PURE WHITE	
	HK-P-33AWW-E27-C	WARM WHITE	

5x1W PAR20 SPOTLIGHT

	HK-P-51AW-E27-P	PURE WHITE	AC110/220V,5 x 1W,Beam Angle: 15°/30°/60°, Base: E27, EPISTAR, Dimension: Φ61mm*94.5mm
	HK-P-51AWW-E27-P	WARM WHITE	
	HK-P-51AW-E27-E	PURE WHITE	
	HK-P-51AWW-E27-E	WARM WHITE	
	HK-P-51AW-E27-C	PURE WHITE	
	HK-P-51AWW-E27-C	WARM WHITE	

7x1W PAR30 SPOTLIGHT

	HK-P-71AW-E27-P	PURE WHITE	AC110/220V,7 x 1W,Beam Angle: 15°/30°/60°, Base: E27, EPISTAR, Dimension: Φ96mm*98mm
	HK-P-71AWW-E27-P	WARM WHITE	
	HK-P-71AW-E27-E	PURE WHITE	
	HK-P-71AWW-E27-E	WARM WHITE	
	HK-P-71AW-E27-C	PURE WHITE	
	HK-P-71AWW-E27-C	WARM WHITE	

12x1W PAR38 SPOTLIGHT

HK-P-121AW-E27-P	PURE WHITE	AC110/220V, 12 x 1W, Beam Angle: 15°/30°/60°, Base: E27, EPISTAR, Dimension: Φ122mm*116.5mm
HK-P-121AWW-E27-P	WARM WHITE	
HK-P-121AW-E27-E	PURE WHITE	AC110/220V, 12 x 1W, Beam Angle: 15°/30°/60°, Base: E27, EDISON CHIP, Dimension: Φ122mm*116.5mm
HK-P-121AWW-E27-E	WARM WHITE	
HK-P-121AW-E27-C	PURE WHITE	AC110/220V, 12 x 1W, Beam Angle: 15°/30°/60°, Base: E27, CREE CHIP, Dimension: Φ122mm*116.5mm
HK-P-121AWW-E27-C	WARM WHITE	

1x3W CANDLE BULB


HK-P-13AW-E27-P	PURE WHITE	AC110/220V, 1 x 3W, Base: E27, EPISTAR CHIP, Size: D41*133(L)
HK-P-13AWW-E27-P	WARM WHITE	
HK-P-13AW-E27-E	PURE WHITE	AC110/220V, 1 x 3W, Base: E27, EDISON CHIP, Size: D41*133(L)
HK-P-13AWW-E27-E	WARM WHITE	
HK-P-13AW-E27-C	PURE WHITE	AC110/220V, 1 x 3W, Base: E27, CREE CHIP, Size: D41*133(L)
HK-P-13AWW-E27-C	WARM WHITE	




HK-P-13AW-E14-P	PURE WHITE	AC110/220V, 1 x 3W, Base: E14, EPISTAR CHIP, Size: D41*129(L)
HK-P-13AWW-E14-P	WARM WHITE	
HK-P-13AW-E14-E	PURE WHITE	AC110/220V, 1 x 3W, Base: E14, EDISON CHIP, Size: D41*129(L)
HK-P-13AWW-E14-E	WARM WHITE	
HK-P-13AW-E14-C	PURE WHITE	AC110/220V, 1 x 3W, Base: E14, CREE CHIP, Size: D41*129(L)
HK-P-13AWW-E14-C	WARM WHITE	


1x3W FLAME BULB

HK-P-13BW-E27-P	PURE WHITE	AC110/220V, 1 x 3W, Base: E27, EPISTAR CHIP, Size: D42*165(L)
HK-P-13BWW-E27-P	WARM WHITE	
HK-P-13BW-E27-E	PURE WHITE	AC110/220V, 1 x 3W, Base: E27, EDISON CHIP, Size: D42*165(L)
HK-P-13BWW-E27-E	WARM WHITE	
HK-P-13BW-E27-C	PURE WHITE	AC110/220V, 1 x 3W, Base: E27, CREE CHIP, Size: D42*165(L)
HK-P-13BWW-E27-C	WARM WHITE	


	HK-P-13BW-E14-P	PURE WHITE	AC110/220V, 1 x 3W, Base: E14, EPISTAR CHIP, Size: D42*161(L)
	HK-P-13BWW-E14-P	WARM WHITE	
	HK-P-13BW-E14-E	PURE WHITE	AC110/220V, 1 x 3W, Base: E14, EDISON CHIP, Size: D42*161(L)
	HK-P-13BWW-E14-E	WARM WHITE	
	HK-P-13BW-E14-C	PURE WHITE	AC110/220V, 1 x 3W, Base: E14, CREE CHIP, Size: D42*161(L)
	HK-P-13BWW-E14-C	WARM WHITE	


3x1W CANDLE BULB

	HK-P-31AW-E27-P	PURE WHITE	AC110/220V, 3 x 1W, Base: E27, EPISTAR CHIP, Size: D41*133(L)
	HK-P-31AWW-E27-P	WARM WHITE	
	HK-P-31AW-E27-E	PURE WHITE	AC110/220V, 3 x 1W, Base: E27, EDISON CHIP, Size: D41*133(L)
	HK-P-31AWW-E27-E	WARM WHITE	
	HK-P-31AW-E27-C	PURE WHITE	AC110/220V, 3 x 1W, Base: E27, CREE CHIP, Size: D41*133(L)
	HK-P-31AWW-E27-C	WARM WHITE	



	HK-P-31AW-E14-P	PURE WHITE	AC110/220V, 3 x 1W, Base: E14, EPISTAR CHIP, Size: D41*129(L)
	HK-P-31AWW-E14-P	WARM WHITE	
	HK-P-31AW-E14-E	PURE WHITE	AC110/220V, 3 x 1W, Base: E14, EDISON CHIP, Size: D41*129(L)
	HK-P-31AWW-E14-E	WARM WHITE	
	HK-P-31AW-E14-C	PURE WHITE	AC110/220V, 3 x 1W, Base: E14, CREE CHIP, Size: D41*129(L)
	HK-P-31AWW-E14-C	WARM WHITE	

3x1W FLAME BULB

	HK-P-31BW-E27-P	PURE WHITE	AC110/220V, 3 x 1W, Base: E27, EPISTAR CHIP, Size: D42*165(L)
	HK-P-31BWW-E27-P	WARM WHITE	
	HK-P-31BW-E27-E	PURE WHITE	AC110/220V, 3 x 1W, Base: E27, EDISON CHIP, Size: D42*165(L)
	HK-P-31BWW-E27-E	WARM WHITE	
	HK-P-31BW-E27-C	PURE WHITE	AC110/220V, 3 x 1W, Base: E27, CREE CHIP, Size: D42*165(L)
	HK-P-31BWW-E27-C	WARM WHITE	

	HK-P-31BW-E14-P	PURE WHITE	AC110/220V,3 x 1W,Base: E14, EPISTAR CHIP,Size:D42*161(L)
	HK-P-31BWW-E14-P	WARM WHITE	
	HK-P-31BW-E14-E	PURE WHITE	AC110/220V,3 x 1W,Base: E14, EDISON CHIP,Size:D42*161(L)
	HK-P-31BWW-E14-E	WARM WHITE	
	HK-P-31BW-E14-C	PURE WHITE	AC110/220V,3 x 1W,Base: E14, CREE CHIP,Size:D42*161(L)
	HK-P-31BWW-E14-C	WARM WHITE	

5x1W BALL BULB

	HK-B-51AW-E27-P	PURE WHITE	AC110/220V,5 x 1W,Base: E27, EPISTAR CHIP,Size:D60*114(L), silver/white/black cover available
	HK-B-51AWW-E27-P	WARM WHITE	
	HK-B-51AW-E27-E	PURE WHITE	AC110/220V,5 x 1W,Base: E27, EDISON CHIP,Size:D60*114(L),silver/white/black cover available
	HK-B-51AWW-E27-E	WARM WHITE	
	HK-B-51AW-E27-C	PURE WHITE	AC110/220V,5 x 1W,Base: E27, CREE CHIP,Size:D60*114(L), silver/white/black cover available
	HK-B-51AWW-E27-C	WARM WHITE	
	HK-B-51BW-E27-P	PURE WHITE	AC110/220V,5 x 1W,Base: E27, EPISTAR CHIP,Size:D60*114(L), silver/white/black cover available
	HK-B-51BWW-E27-P	WARM WHITE	
	HK-B-51BW-E27-E	PURE WHITE	AC110/220V,5 x 1W,Base: E27, EDISON CHIP,Size:D60*114(L),silver/white/black cover available
	HK-B-51BWW-E27-E	WARM WHITE	
	HK-B-51BW-E27-C	PURE WHITE	AC110/220V,5 x 1W,Base: E27, CREE CHIP,Size:D60*114(L), silver/white/black cover available
	HK-B-51BWW-E27-C	WARM WHITE	

Note: All dimensions are in "mm".

Model Name Designation:

HK-X-ZXZ-X-XZ

(X:A-Z, AA-ZZ, AAA-ZZZ; Z: 1-999)

eg. HK-P-31AW-P-XZ

HK: abbreviation of HUAKE

P: short for SPOTLIGHT; B for BALL BULB

31: 3x1W

A: type serial no.

W: white. We have ww for warm white.

P: led chips used here is Epistar, we have E for edison and C for cree.

XZ: input power, we have AC110V, AC220V,AC/DC12V